Man. 26 2007 05:03PM P1

18-K

By Speed Post

No. 21-554/2006-IA -III
Government of India
Ministry of Environment and Forests
(I.A. Division)

Paryavaran Bhawan, CGO Complex, Lodhi Road New Delhi 110003 Dated: March 21, 2007

To

Shri Hasmukh Thakkar, (G.M.—Projects)
M/s. Ravechi Property Developers.
Fine House, 5th Floor,
Anandji Lane, Opp. Dena Bank,
M. G. Road, Ghatkopar (E),
Mumbai-400 077 (Maharashtra)

Subject: Environmental Clearance for construction of proposed Residential Complex "NEELKANTH WOODS", Majiwade, Thane, Maharashtra.

Sir,

I am directed to refer to your application seeking prior environmental clearance for the above project under the EIA Notification 2006. The above proposal has been appraised as per prescribed procedure on the basis of the mandatory documents enclosed with the application viz., Form I and IA and conceptual plan and the additional clarifications furnished in response to the observations of the Expert Appraisal Committee (EAC) constituted by the competent authority in its tenth meeting held on 24-25 January, 2007.

2. The project proponent is proposing for development of Residential complex "NEELKANTH WOODS" Mulla baug, Near Hill Crest Society, off Ghodbunder Road. Thane (W), Maharashtra. The project Site for proposed Ghodbunder Road. Thane (W), Maharashtra. The project Site for proposed project is located on land bearing Survey No. 312 (PT), project is located on land bearing Survey No. 312 (PT), project involves construction of 6 residential buildings and 88 Thane. The project involves construction of 6 residential buildings and 88 Bunglows and commercial area of 185.4 sq.m. The total plot area is 1,77,735 sq. m. The total built up area as indicated is 85,195.34 sq. m. Total water requirement will be 520 cu. m./day, and total wastewater generation from the complex will be 308 cu. m./day. Three STPs having capacities of 216 cu. m./day, 72 cu. m./day and 54 cu. m./day to treat wastewater generated from the complex will be installed at site. The total wet solid waste generated will be 430kg/cu.m The bio-degradable waste will be composted and non-bio degradable waste after recovery of recyclable waste will be disposed off.

3. The documents submitted along with the application predicts that there will be negligible impact on ambient air quality during construction as well operation phase. There will be negligible impact on ambient noise levels during construction as well operation phase phase. There will be no impact on water quality. There will be positive impact on land use pattern due towater quality. There will be positive impact on land use pattern due towater quality. There will be positive impact on of trees and development of recreational area, surrounding area will have positive impact on overall land

4. The EAC after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations have recommended the grant of environmental clearance for the project mentioned above subject to compliance with the EMP and other stipulated conditions. Accordingly, the Ministry hereby accords necessary environmental clearance for the project subject to the strict compliance with the specific and general conditions mentioned below:

PART A- SPECIFIC CONDITIONS

I. Construction Phase

i All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the

construction phase.

II. Soil and ground water samples will be tested to ascertain that there is no threat to groundwater quality by leaching of heavy metals and other texic conteminants.

contaminants.

iii. A First Aid Room will be provided at the project site both during construction and operation of the project.

iv. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.

v. Disposal of muck including excavated material during construction phase should not create any adverse effects on the neighboring communities and be disposed off taking the necessary precautions for general safety and

health aspects of people.

vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should vi. Diesel power generating sets used during construction phase should conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise under Environment (Protection) Act 1986, prescribed for air and noise under the protection of the protec

emission standards.

vii. Ambient noise levels should conform to residential area standards

vii. Ambient noise levels should conform to residential area standards

vii. Ambient noise levels should conform to residential area standards

both during day and night when measured at boundary wall of the

both during day and night when measured at and noise quality

premises, incremental pollution loads on the ambient air and noise quality

should be closely monitored during construction phase.

Vehicles hired for bringing construction material at site should be in good condition and should have valid "pollution under check" (PUC) certificate and to conform to applicable air and noise emission standards.

Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.

FAX NO. :91 22 25150930

26 2007 05:08PM

HO

Any hazardous waste generated during construction phase should be disposed of as per applicable Rules & norms with necessary approvals of the Maharashtra State Pollution Control Board xi. Regular supervision of the above and other measures for monitoring

should be in place all through the construction phase so as to avoid disturbance to the surroundings.

II. Operation Phase

The environmental clearance recommended to the project is subject to the specific conditions as follows:

Necessary permission of competent authority shall be taken to store

diesel in the premises for operation of DG set.

Diesel power generating sets proposed as source of back up power for lifts and common area illumination should be of "enclosed type" and conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards as per CPCB guidelines. Exhausts should be discharged by stack, raised to 4 meters above the rooftop.

During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the

prevalent regulations.

Noise barriers should be provided at appropriate locations so as to ensure that the noise levels do not exceed the prescribed standards.

Weep holes in the compound walls shall be provided to ensure natural

drainage of rainwater in the catchment area.

The three sewage treatment plants should be certified by an independent expert for efficiency as well as adequacy and should submit a report in this regard to the Ministry before the project is commissioned for operation. The wastewater should be treated to tertiary level and after treatment reused for flushing of tollets and gardening. Discharge of treated sewage, if any, shall conform to the norms & standards prescribed by Maharashtra State Pollution Control Board.

Oil.& Grease trap shall be provided to remove oil and grease from the surface run off and suspended matter shall be removed in a settling tank

before its utilization for rainwater harvesting.

The solid waste generated should be properly collected & segregated. Wet garbage should be composted and dry/inert solld waste should be disposed of for land filling.

Any hazardous waste including biomedical waste should be disposed of as per applicable Rules & norms with necessary approvals of the Maharashtra State Pollution Control Board.

The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of Indigenous variety.

Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project.

xli. The ground water levels and its quality should be monitored regularly in consultation with Central Ground Water Authority.

A Report on the energy conservation measures should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the Ministry in three months time.

The values of R & U for the building envelope should meet the requirements of the hot & humid climatic location. Details of the building envelope should be worked out and furnished in three months time.

PART - B. GENERAL CONDITIONS

The environmental safeguards contained in the documents Provision should be made for the supply of kerosene or cooking should be implemented in letter and spirit. gas and pressure cooker to the laborers during construction phase. All the laborers to be engaged for construction works should be screened for health and adequately treated before the issue of work permits. 6 monthly monitoring reports should be submitted to the Ministry and its Regional Office.

Officials from the Regional Office of MOEF, Bhopal who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional office of MOEF, Bhopal. In the case of any change(s) in the scope of the project, the project.

The Ministry reserves the right to add additional safeguard measures would require a fresh appraisal by this Ministry. subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department (if required), CRZ Regulations etc. shall be obtained by project

A copy of the environmental clearance letter would be marked to the proponents from the competent authorities. local NGO(s), if any, from whom suggestion/representation were received at

10. The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language Informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Maharashtra State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at http://www.envfor.nic.in. The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional

These stipulations would be enforced among others under the office of this Ministry at Bhopal. provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986 and the Public Liability (Insurance) Act, 1991.

12. The project authority will enter in to MOU with all buyers of the property, flats/shops etc. to ensure operation and maintenance of the assets handed over to the society formed by the residents/owners of the buildings. 13. Under the provisions of Environment (Protection) Act 1986, legal action shall be initiated against the project proponent if it was found that construction of the project had started without obtaining environmental clearance.

(K.C. RATHORE) Additional Director (IA) rathore27@yahoo.com Tele: 24360789

Copy to: -

1. The Secretary, Department of Environment, Government of Maharashtra, New Administrative Building, 15th Floor, Opp. Mantralaya,

2. The Member Secretary, Maharashtra State Pollution Control Board, Kalptaru Point, 3rd Floor, Near Sion Circle Opp. Cine Planet Cinema,

3. The CCF, Regional Office, Ministry of Environment & Forests, Bhopal.

4. IA - Division, MOEF, New Delhi - 110001.

Guard file. 5.

> (K.C. RATHORE) Additional Director (IA)